

**HENNEKEN**  
high quality equipment since 1977

# Vacuum Tumbler Type-MVT



 **select**  
**TECHNOLOGIES**  
North American Distributor

**Henneken Vacuum Tumbler Type-MVT**



# Henneken Vacuum Tumbler Type-MVT

## Compact for Small and Medium Sized Batch Tumbling

The Mini Vacuum Tumbler (MVT) is designed for a wide variety of applications from tumbling and marinating to mixing and coating. The MVT is primarily used in small butcher shops, commissaries, R&D facilities and small production lines. The clean compact design includes an onboard vacuum pump and motorized rotating/tilting drum.

The construction supports a gentle, yet effective, massage to consistently ensure the best tumbling process. The end result is a significant improvement in product quality, yield and profit.

The motorized tilting drum feature offers an easy way to load and discharge product into a standard 400 lb. Vemag cart or tote. Onboard continuous or interval drum vacuum also produces a higher product yield by eliminating air and unwanted foam that is created during tumbling.

The tumbler is equipped with a Programmable Logic Controller (PLC) for batch automation and recipe management.

## STANDARD FEATURES AND BENEFITS

- Variable drum speed from 2 to 12 RPM
- Motorized tilting drum for easy loading & discharge
- Discharge height is compatible with 400 lb. Vemag Cart
- Busch vacuum pump - up to 28 in/Hg (-950 mbar)
- Continuous or interval vacuum with inline vacuum trap
- Industrial grade SEW-Eurodrive system
- Siemens® PLC and HMI

## AVAILABLE OPTIONS

- Heavy duty sanitary equipment casters
- Desktop type – No chassis or equipment casters
- Integrated load cell weighing system
- Upgrade to full category Allen Bradley® controls



MVT0 (50L) with Integrated Vacuum





MVT0 (50L) in Fill Position  
(Desktop Type)

**Henneken Vacuum Tumbler Type-MVT**

## Tumbler Type-MVT General Specifications

Type MVT	Volume	Working Capacity (lbs.)	
Model No.	Liters	Min	Max
MVT0	50	15	65
MVT1	150	50	200
MVT2	250	80	330


## Tumbler Type-MVT Dimensions and Weights



**Henneken Vacuum Tumbler Type-MVT**

Tumbler MVT	Total Length (L1)	Total Width (W1)	Height (H1)	Weight
Model No.	in.	in.	in.	lb.
MVT0	39	26	39	250
MVT1	58	32	65	803
MVT2	61	35	67	836

\*Glycol Cooling not available on Type-MVT Tumbler



**HENNEKEN**  
high quality equipment since 1977

**Other Henneken Offerings**



### **Brine Mixers**

Versatile solution for liquid-based food products



### **Injectors**

Uniform brine injection of boneless and bone-in meat products



### **Macerators**

Industrial-scale meat tenderizing



### **Loaders/Dumpers**

400 lb. and 600 lb. capacity, dripless pivot dump after full lift



**select**  
**TECHNOLOGIES**

**North American Distributor**

8093 Graphic Drive Belmont, MI 49306 1.844.785.9506 (p) 616.868.6770 (f)  
www.select-technologies.com